

Blinds for interiors

Schenker Storen





Bildernachweis: © Schenker Storen und © MHZ Hachtel



Indoor blinds

6/7 Vertical slat blinds

8/9 Horizontal slat blinds

10/11 Roller blinds

12/13 Pleated blinds

14/15 Panel curtains

The choice is yours

16 Textiles for individual ideas

17 Textile colours

Technical information


18 Vertical slat blinds


19 Horizontal slat blinds

20/21 Roller blinds

22 Pleated blinds

23 Panel curtains






Artistically playing with light

Indoor blinds

All possibilities are open to you when you design a room: Should it be elegant or refined? Do you like it cosy or bold? Do you prefer the unusual or for it to be more restrained? The indoor blinds from Schenker Storen are versatile mood setters. The high quality along with a wide selection of materials and colours provide the prerequisites for architecture that feels good – whether in your home or for commercial use. And for those who not only appreciate aesthetics, but also convenience, we recommend motorised operation.


Vertical slat blinds



Vertical slat blinds from Schenker Storen are masters in the continuous modulation of light. Their vertical lines lend the room visual expanse and emphasise the architectural design. The slats have a different effect depending on the position of the sun, constantly providing a view outdoors. Particularly for large window surfaces, high-ceilinged rooms or a room divider, they are the intelligent solution for exclusive, purposeful shading. Their customised shapes, matching materials and designs make them unforgettably unique.



Accurate slat closures: There are four different closures to choose from depending on the need and application. Slat chains (made of plastic or metal) bring motion to a rapid stop while the integrated weight bars ensure a pleasing, straight drop.



- Flexible and easy light modulation.
- Precisely adjust the amount of light permitted.
- Comprehensive selection of materials with many functional characteristics and a rich range of colours.
- Particularly suitable for large window areas, high-ceilinged rooms or as a room divider.
- A wide range of uses: living rooms, offices, classrooms, medical practices, exercise and seminar rooms.
- Matches any architectural feature.

Design features

- Vertical slats made of textile fabrics, plastic or aluminium.
- Dirt-repellent, washable and soundabsorbing materials also available.
- Upper rail made from extruded aluminium in 6 standard colours.
 Optional special colours: anodised silver, white, textured white, window grey, anthracite and black. RAL colours available on request.
- Opening and closing of the drops and turning the slats with a pearl chain.
- Drop package can optionally part to the left or right, in sections to the left and right, or from the centre.
- Ceiling and wall mounting with variable distances to the wall.
- Operating chain with rip protection system for child safety.

Options

- Available with cord or chain operation, with an electric drive, or with electronic controls on request.
- Slat widths of 89 mm, 127 mm or 250 mm available.
- Drop lengths from 20 to 695 cm.
- Various types of weight bars to choose from
- Plastic or metal operating chain.

Vertical slat blinds

- For large window areas and highceilinged rooms
- Wide range of materials, fabrics and designs
- For masterful modulation of light
- Create a modern ambience

Horizontal slat blinds



The course of the sun sets the scene in every room, while horizontal slat blinds from Schenker Storen lend them a certain something extra. Their delicate texture give them an unimposing, soft ambience. Horizontal slat blinds effortlessly regulate, steer and dispense light. They protect you from inquisitive eyes if you prefer. Discrete in design, available in an array of colours, they perfectly complement any window shape.



Top of the line model: Sophisticated and variable with the innovative TwinLine.
The upper and lower rails can slide individually to the preferred position.



- Flexible light control
- Innovative technology
- High-quality-materials
- Standard model
- Individual combination of drop colours
- Especially suited to narrow windows, doors and skylights
- Installation directly on the casement make them perfect for frequently used windows or glass doors
- Robust, easy to care for.

Design features

- Very suitable for wet zones and the kitchen with plastic and aluminium materials.
- Profile made from extruded aluminium in 4 standard colours: anodised silver, powder-coated white, anodised black and powder-coated anthracite.
- Elastic, durable, powder-coated aluminium slats.
- Raising, lowering and turning of slats using a transparent pearl chain or crank.
- Installation possible directly on the casement with shuttle protection for rotating/tilting windows.
- Slat widths of 16 mm, 25 mm, 35 mm and 50 mm available.

Options


 Chain / cord / crank operation or with an electric motor; optionally available with electronic controls. Or wireless with a battery drive, radio operation or with a smartphone.

Horizontal-slat blinds

Ideal for offices, living rooms, kitchens and bathrooms

- •Easy-care shades
- •For a light atmosphere
- •16 mm, 25 mm, 35 mm and 50 mm wide slatsbreite Lamellen

Roller blinds



Roller blinds have an impact like no other design element: textures, colours, designs and transparency lend a magical ambience. The room atmosphere changes along with the strength of the incoming light while the interplay of colours emphasise the respective style. Whether tone on tone, contrast, discreet or provocative, everything is possible with roller blinds. The Schenker Storen roller blind range offers the right product for every window situation.



Elegant mounting: The stylish support in a timeless design is easy to install and can be mounted to the wall or ceiling.



- Sufficient sight and sun protection or darkening.
- Fixed fabric tension in any position.
- Easy, convenient and virtually silent operation.
- Create a pleasant, homely atmosphere.
- Wide range of colours and designs to choose from to match contemporary trends.

Design features

- Side-pull roller blinds with integrated chain drive and unroll mechanism.
- Chain drive, partially with spring support, brake and set end position.
- Filigree support for ceiling, wall or niche mounting, up to 7 standard colours depending on the model.
 Spacers for larger wall separation.
- Easy-care, wipe-off materials.

Options


- Chain / cord / crank operation or with an electric motor; optionally available with electronic controls. Or wireless with a battery drive, radio operation or with a smartphone
- Shuttle protection for rotating/tipping windows
- Attachment with cassette with or without lateral guide rails
- Special roller blinds for complete darkening available with lateral guide rails and end bar
- Custom sizes up to 400 cm x 400 cm
- Roller blinds braced can be slid on the casement or between the glass frames.

Roller blinds

Roller blinds

- An individual solution for any window situation
- •Ideal for high-ceilinged rooms and restricted niches
- Many textures, designs and colours available
- •From transparent to light and sight impermeable or darkening

Pleated blinds



Good moods come from within. You should therefore design your four walls in your own personal style. Such as with timeless-ly beautiful pleated blinds from Schenker Storen, which will delight you day after day. Classic or temperamental colours, discreet or invigorating designs - to make everyday life more fun. Colours and materials breathe a breath of fresh air in living spaces that are as unmistakable as the people living there.



High-quality: The aluminium handles enable flexible sliding of the pleated blinds and can be attached either above or on the lower rail.



- Decorative shading.
- Filigree folding look.
- Very convenient operation.
- Ideal for wet rooms, easy-care and washable.
- -Thick weaving provides day and night protection from inquisitive eyes.
- Pull cord colour matched to the drop.
- Also available as DUETTE honeycomb pleated blinds.
- A wide range of available models for skylights, conservatory roof shading and a variety of special shapes for slanted windows.

Design features

- Free-hanging pleated blinds systems with a pleat depth of 20 mm.
- Side-mounted gearbox with chain operation for continuous raising and lowering. Chain outlet to the front.
- Braced pleated blinds systems for installing within the glass frames.
- Continuous sliding of the drop up, and/or down using the operating rail.
- Profile made of extruded aluminium available in 5 standard colours: anodised sliver, powder-coated white, anodised black, anodised bronze and powder-coated anthracite.
- Wall and ceiling installation with clamping lever holder.

Options

 Chain / cord / crank operation or with an electric motor; optionally available with electronic controls. Or wireless with a battery drive, radio operation or with a smartphone.

Pleated blinds

Ideal for conservatories, living rooms and bathrooms

- •Decorative glare and sight protection
- •For special-shaped windows
- •Optimal darkening possible

Panel curtains



Those who love special things know: It is not only the details that make a room special and unmistakable.

It is the combination and interplay of the individual components. Make your living space come alive with ambience and atmosphere.

Panel curtains from Schenker Storen let you rearrange it whenever you like.



3-way rail profile: The 3-way rail profile enables you to individually hang and slide many overlapping panel combinations.



- High-quality sun protection.
- Contemporary decoration of living and working spaces.
- Especially suitable for large window areas.
- Excellent eye catcher as room divider or as wall covering.
- Distinctive designs and a wide range of colours for every style.
- Special fabrics enable use in various areas, including the bathroom.
- Custom production.

Design features

- Panel curtains made from combinable aluminium profiles, with panel carriages.
- 2-, 3-, 4-, 5- and 6-way rail profiles and a 3-way profile with a connection lug for combinations.
- Push connector for lengths above 640 cm.
- -Torsionally rigid profile with hidden attachment system for ceiling mounting.
- 10 mm, 15 mm, 36 mm rail profile height, matt silver anodised or powdercoated white.
- Can also be mounted with wall supports, wall bearings or ceiling supports.
- Panel carriage made from plastic with rollers or sliders, white or silver, lengths up to 160 cm.
- Including plug-in weighting strip, or as an alternative, an external aluminium weighting profile.

Options

 Slide rod / pull cord operation or with an electric motor; optionally available with electronic controls.


Panel curtains

- For clear or playful designs
- •Suitable for large windows
- •Optimum design freedom
- •Wall support, wall bearing or ceiling support mounting
- •2- to 6-way profile, and simple operation

Textiles for individual ideas

The world of fabrics is full of surprises, ideas and secrets. The versatility and variety of textiles affects our senses and lends character and a sense of security to a room. Whether discreetly classical, sensuously elegant or romantically charming - contemporary trends and durable design pamper both the room and those within it.







Versatile options

Whether for roller blinds, pleated blinds, panel curtains or vertical or horizontal slat blinds: You have an almost unlimited range of possibilities to design your very personal and individual living space dream any way you like. Play with a wide range of colours, designs, textures and effects. We will be happy to support you with our technical knowhow as you do.

Textile characteristics

- Elegant colours and harmonious designs.
- Reflecting materials with Perlex or white reflective coating for excellent glare protection at the workplace.
- -The VIS quality mark (Association of Internal Sight and Sun Protection): guarantees high-quality sun protection.
- -Trevira CS ensures brilliant colours that do not wash out, are durable, flame retardant, dirt-repellent and with an antibacterial coating.
- -Thanks to the antibacterial coating some materials are suitable for people with allergies and for the kitchen and bathroom.
- Interesting selection of elegant and modern use of natural materials such as linen and paper yarn.
- Uni or nonwoven materials with a shiny metallic look.
- Special printing techniques create textures with a 3-D effect.

Showroom

Your Schenker Storen sales rep is happy to assist you while choosing the suitable materials from our comprehensive textile collection. Visit the Schenker Storen office near you.

Textile colours

Our products provide the ideal basis for perfect room conditions. Besides countless functional characteristics, the aesthetic plays an essential role while choosing. Our collections make it possible to design rooms atmospherically with attractive colours and modern material designs.







Horizontal slat blinds collection

Our world of colours opens unimagined combination options and creates scope for an individual atmosphere. A total of 114 possible slat colours are sorted into 15 colour worlds (white, grey, anthracite, black, beige, natural, brown, taupe, violet, cherry red, salmon, yellow, green, petrol and blue) and invite you to stage colour gradients and contrasts even within a single drop. You can also emphasize individual slats as a focal point or create a striped look.

Roller blind collection

The most popular colours are white, off-white, all shades of grey and natural tones. All shades of blue to petrol are coming into fashion. There are also inspiring yellow to ochre nuances, soft to intense green variations, as well as shades of orange and red to choose from. The colour world for roller blinds is rounded off with powdery shades of violet. The technically-oriented metallic surfaces also contribute to making even greater eye-catchers.

Vertical slat blinds collection


Our colours for vertical slat blinds are comprised to be harmonious and full of nuances. Both classic shades and trendy, brilliant interior colours are integrated in the colour palette and purposely invite you to play with accents, contrasts and colour gradients within a drop. Regardless of your colour preferences, there is no limit to your fantasy and to creating your very personal room atmosphere.

Vertical slat blinds


Classic 89 mm, 127 mm, 250 mm

Free-hanging	Pull-cord / Chain	Sliding rod	Motor	
Min. width (mm)	200	200	400	
Max. width (mm)	6950	6950	6950	
Max. height (mm)	3500	3000	3500	
Max. drop weight (kg)	20	6	22	
Drop ¹⁾	1-part left or right / 2-part left and right / 2-part centred			
Upper rail (mm)	Wi	dth 40, Height 25, Attachment clip	4	

1) Sliding rod only possible in one piece





- 1 Attachment clip
- (2) Upper rail
- (3) Operating chain
- (4) Pull chain
- Safety clampingdevices
- 6 Sliding rod
- 230 v electric drive
- ® Drop






Behang 2-teilig, Pakete links und rechts







Slope (Abschrägung)

Horizontal gebogen

Übersetzen

Übersetzen

Horizontal verspannt

Horizontal-Lamellenstoren

Sliding bar	16-mm slats	25-mm slats	35-mm slats	50-mm slats
Min. width (mm)	290	290		
Max. width (mm)	1500	1500		
Max. height (mm)	2500	2500		
Chain	16-mm slats	25-mm slats	35-mm slats	50-mm slats
Min. width (mm)	440	440	440	460
Max. width (mm)	2700	3900	4500	5000
Max. height (mm), to width 540	1800	1800	1800	4500
Max. height (mm), as of width 541	3600	3600	3600	4500
wax. Height (IIIII), as of width 541	3000	3000	3000	4300
Kurbel	16-mm slats	25-mm slats	35-mm slats	50-mm slats
Min. width (mm)	360	360	310	460
Max. width (mm)	2800	3800	4500	5000
Max. height (mm), to width 450	1800	1800	1800	4500
Max. height (mm), as of width 451	3600	3600	3600	4500
Flater 40V	40	25	25	50 mm elete
Elektro 12 V	16-mm slats 510	25-mm slats 510	35-mm slats 510	50-mm slats
Min. width (mm) Max. width (mm)	2700	3800	4500	
Max. height (mm), to width 609	1800	1800	1800	
Max. height (mm), as of width 610				
wax. neight (mm), as of width 610	3600	3600	3600	
Elektro 18 V	16-mm slats	25-mm slats	35-mm slats	50-mm slats
Min. width (mm)	610	610	610	
Max. width (mm)	2700	3800	4500	
Max. height (mm)	3600	3600	3600	
Elektro 24 V	16-mm slats	25-mm slats	35-mm slats	50-mm slats
Min. width (mm)				685
Max. width (mm)				5000
Max. height (mm), to width 630				4500
Max. height (mm), as of width 631				
Dodrowa haiwht fawall waadala	16	25 mm slete	2F	50 mm -l-t-
Package height for all models Package height up to 500 (mm)	16-mm slats approx. 50	25-mm slats approx. 50	35-mm slats approx. 50	50-mm slats approx. 100
Package height up to 1000 (mm)	approx. 60	approx. 60	approx. 60	approx. 100 approx. 110
Package height up to 1500 (mm)	approx. 75	approx. 70	approx. 75	арргох. 110
Package height up to 2000 (mm)	• • • • • • • • • • • • • • • • • • • •	• •	• • • • • • • • • • • • • • • • • • • •	• •
	approx. 90	approx. 75	approx. 85	approx. 140
Package height up to 2500 (mm)	approx. 105	approx. 85	approx. 95	approx. 150
Package height up to 3000 (mm)	approx. 120	approx. 95	approx. 105	approx. 160
Package height up to 3500 (mm)	approx. 135	approx. 105	approx. 115	approx. 175

Roller blinds

Model R03

Freehanging	Chain	Support mounting	Attachment rail	With casing
Min. width (mm)		190	190	225
Max. width (mm)		2500	2500	2500
Max. height (mm)		2800	2800	2800

Freehanging	Middle pul «Soft»	Support mounting	Attachment rail	With casing
Min. width (mm)		640	640	670
Max. width (mm)		2000	2000	2000
Max. height (mm)		2500	2500	2500

Freehanging	Kurbel	Support mounting	Attachment rail	With casing
Min. width (mm)				230
Max. width (mm)				2500
Max. height (mm)				2800

Freehanging	Elektroantrieb	Support mounting	Attachment rail	With casing
Min. width (mm)	12 V battery radio	600	600	600
Max. width (mm)		2500	2500	2500
Max. height (mm)		2800	2800	2800
Min. width (mm)	18 V	380	380	380
Max. width (mm)		2500	2500	2500
Max. height (mm)		2800	2800	2800
Min. width (mm)	24 V roll-up	380	380	380
Max. width (mm)		1800	1800	1800
Max. height (mm)		2800	2800	2800
Min. width (mm)	24 V Sonesse	490	490	490
Max. width (mm)		2500	2500	2500
Max. height (mm)		2800	2800	2800
Min. width (mm)	230 V	560/700	560/700	560/700
Max. width (mm)		2500	2500	2500
Max. height (mm)		2800	2800	2800

Roller blinds

Model Basic

Free-hanging	Chain	Support mounting	Attachment rail	With casing
Min. width (mm)		100	100	100
Max. width (mm)		2800	2800	2800
Max. height (mm)		3000	3000	30001)

Free-hanging	Elektroantrieb	Support mounting	Attachment rail	With casing
Min. width (mm)	24 V roll-up	350	350	350
Max. width (mm)		1800	1800	1800
Max. height (mm)		3000	3000	3000
Min. width (mm)	24 V Sonesse	480	480	480
Max. width (mm)		2800	2800	2800
Max. height (mm)		3000	3000	3000

Model Big

Free-hanging	Chain	Support mounting	Attachment rail	With casing
Min. width (mm)		450		450
Max. width (mm)		4000		4000
Max. height (mm)		4000		4000

Free-hanging	Mittelzug «Soft»	Support mounting	Attachment rail	With casing
Min. width (mm)	230 V	620-790		620-90
Max. width (mm)		4000		4000
Max. height (mm)		4000		40001)

¹⁾ max. height depends on the material thickness

Pleated blinds

Pleated blinds/Honeycomb pleated blinds

Braced between window frames or window casement	Braced
Min. width (mm)	200
Max. width (mm)	1800
Max. height (mm), up to width 1500	2200
Max. height (mm), as of width 1501	1900
Max. height (mm), as of width 1501	1500

Free-hanging	Chain	Zugschnur
Min. width (mm)	350	300
Max. width ¹⁾ (mm)	23002)	2200
Max. height (mm)	2600	2600

Free-hanging	Motor 24 V	Elektroantrieb 12 V	Motor 18 V
Min. width (mm)	750	750	450
Max. width ¹⁾ (mm)	23002)	2300	2300
Max. height (mm)			2600
Max. height (mm)	1700	1700	
Max. height (mm)	2600	2600	

¹⁾ max. width depends on the material quality

 $^{^{2)}}$ 6 selected honeycomb pleated blinds designs up to 400 cm width

Package height for all models	Pleated blinds	Honeycomb pleated blinds
Package height up to 500 (mm)	ca. 60	ca. 70
Package height up to 1000 (mm)	ca. 70	ca. 90
Package height up to 1500 (mm)	ca. 80	ca. 110
Package height up to 2000 (mm)	ca. 90	ca. 130
Package height up to 2600 (mm)	ca. 100	ca. 160

Pleat depth	Pleated blinds	Honeycomb pleated blinds
width (mm)	20	25

Panel curtains

Model with slide rod operation

	Freely slidable	Siide rod	Pull-cord	Motor
Max. profile length, without overlap (mm)	6400	6400	6400	6400
Max. profile length, with overlap (mm)	unlimited	unlimited	8000	14 000
Max. width, panel carriage (mm)	1600	1600	1600	1600

The panel carriage can be optionally slid individually or be bundled together on request.

Montagebeispiele

	Freely slidable	Siide rod	Pull-cord	Motor
2-way	Clip /Tension lever	Clip/Tension lever		
3-way	Clip /Tension lever	Clip/Tension lever	Clip/Tension lever	
4-way	Clip/Tension lever	Clip/Tension lever	Clip/Tension lever	
5-way	Clip	Clip	Clip	Clip
6-way	Clip/Tension lever	Clip/Tension lever	Clip/Tension lever	Clip/Tension lever

Stoffpaneele

	Freely slidable	Siide rod	Pull-cord	Motor
Max. width (mm)	1600	1600	1600	1600
Max. height (mm)	3500	3500	3500	3500

Schenker Storen

schenkerstoren.com